09/954,737

Attorney Doc	ket No.: GC634-2 /	7	4	Serial No.: 09/954,	737	DE	OP1./
Applicant: Bi	on et al.	APR 0 9 2003	13	<u> </u>		TE	CEIVE
iling Date: 5	September 17, 2001	A BADEL'S		Group: 1658 /63	36	AP	R 1 0 2003
age _ 1	of _1	Se Bunei, Se	l'ar	Date of this Submi	ssion: April 4, 2	003	
			IS PATENT (	DOCUMENTS	<del></del>	TECHTOE	WIER 1600/2
Examiner's	Document		JO I AIENI	JOGOINE (TIG		Sub-	Filing
nitial	Number	Date	Name		Class	Class	Date
			<del>                                     </del>			<del></del>	
		FOE	EICH PATE	IT DOCUMENTS		<del></del> -	
xaminer's	Document	7	EIGN PATE	DOCOMENTS		Sub-	Translation
nitials	Number	Date	Country		Class	Class	Yes/No
<u>bh.2</u>	WO 02/055717 A2	7/18/02	PCT		1	TX.	<del> </del>
アマケ	WO 99/51753	10/14/99	PCT		X	13	<del> </del>
SAL	0 444 759 A1	09/04/91	EP		12	1	<del> </del>
	<del></del>		071100.00	011151150			<u></u>
Examiner's	1		OTHER DO	CUMENTS			
nitials	Author, Title, Date, I	Partinent Page	s. etc.				
				Determinant for Protein	n Secretion via th	e Twin-argin	ine Translocation
AAA	Jongbloed, Jan D. H. et al., « TatC is a Specificity Determinant for Protein Secretion via the Twin-arginine Translocation Pathway, » Journal of Biological Chemistry, vol. 275, no. 52, pp. 41350-41357, December 29, 2000.						
	Tjalsma, Harold et al. the Secretome, » Mic	, « Signal Pepti robiology and I	ide-Depender Molecular Biol	nt Protein Transport in E ogy, vol. 64, no. 3, pp.	Bacillus subtilis : 515-547, Septen	a Genome-B nber, 2000.	ased Survey of
	Van Dijl., Jan Maarte Journal of Biotechnol			c analysis of the Baciliu r 25, 2002.	s subtilis Tat Pat	hway for prot	ein secretion, »
	Database EMBL, Blattner F.R. et al., « Hypothetical 11.3 KD Protein in UDP-RFAH Intergenic Region (TATA Prot Database accession no. 065938, XP002133194.						TATA Protein),
Database EMBL, Sargent, F. et al., « TATB Protein, » Database accession no. 069415, XP00				P002133195.	02133195.		
	Database EMBL, Sar P27857, XP00213319		x Sec-Indeper	ndent Protein Transloca	se Protein TATC	, » Database	accession no.
V	Database EMBL, Daniels D. L. et al., « Deoxyribonuclease tatD, » Database accession no. P27859, XP002227139.						
Copy of PCT Search Report							
	5 conside	red but	Not for	publication			
			<del>-</del>	442			
				- <del></del>			<u></u>
				····			
	Lowald A he	11/		Date Considered	1.11	7	
Examiner	devended It his	1129.		Date considered	10/30/0	<b>5</b>	

	INFORMATION DISCLOSURE CITATION	DEGEWED		
Attorney Docket No.: GC634-2-US	Serial No.: 09/954,737	RECEIVED		
Applicant: Bron et al.		1111 0 8 2002		
Filling Date: September 17, 200	Group: 4665 /636			
Page 1 of 4	Date of this Submission: June 25 2002	TECH CENTER 1600/2900		
US PATENT DOCUMENTS				

Examiner's	Document	1			Sub-	Filing
initial	Number	Date	Name	Class	Class	Date
Abot	3,817,837	6/18/74	Rubenstein et al.	196	103.5	11)8/72/
	3,850,752	11/26/74	Schuurs et al.	195	103.5	10/29/71
	3,939,350	2/17/76	Kronick et al.	250	365/	4/29//4
	3,996,345	12/7/78	Uliman et al.	424	12	6/30/15
	4,275,149	6/23/81	Litman et al.	435	7	11/24/78
	4,277,437	7/7/81	Maggio	422	d.	12/10/79
V	4,366,241	12/28/82	Tom et al.	435	1	g/7/8d
AA2	4,816,587	3/28/89	Cabilly et al.	530	/387	4/8/86

	OTHER DOCUMENTS					
Examiner's						
initials	Author, Title, Date, Pertinent Pages, etc.					
442	Altschul el et al., "Gapped BLAST and PSI-BLAST: a new generation of protein database programs," Nucl. Acids Res., Vol. 25, pp. 3389-3402, 1997					
	Antelmann et al., "Expression of a Stress – and Starvation-Induced dos/pex8 – Homologous Gene is Controlled by the Alternative Sigma Factor of the Bacillus Bacillus," J. of Bacteriology, vol. 179, pp. 7251-7256, 1997					
	Antelmann et al., "Phosphate Starvation-Inducible Proteins of Bacillus Bacillus: Proteomics and Transcriptional Analysis," J. of Bacteriology, vol. 182, pp. 4478-4490, 2000					
	Bakhlet et al., "Studies on Transfection and Transformation of Protoplasts of Bacillus larvae, Bacillus subtilis, and Bacillus popilliae," Applied and Environmental Microbiology, vol. 49, no. 3, pp. 577-581, March, 1986.					
	Benton et al., "Steering Agt Recombinant Clones by Hybridization to Single Plaques in situ," Science, vol. 198, no. 4286, pp. 180-182, April B, 1977.					
	Berger and Kimmel, Guide to Molecular Cloning Techniques, Methods in Enzymology, vol. 152, Academic Press, San Diego, CA (1987)					
	Berks B., "A common export pathway for proteins binding complex redox cofactors," Mol Microbiol, vol. 22, pp. 393-404, 1996.					
	Berks et al., "The Tat protein export pathway," Mol Microbiol, vol. 35, pp. 260-274, 2000.					
	Bernhardt et al., "Specific and general stress proteins in Bacillus subtilis – a two- dimensional protein electrophoreals study, " Microbiol, vol. 143, pp. 999 1017, 1997.					
	Blum et al., "Improved silver staining of plant proteins, RNA and DNA in polyacrytamide gels, " Electrophoresis, vol. 8, pp. 93-99, 1987.					
	Bogsch et al., "Pathway specificity for a ΔpH-dependent precursor thylakoid lumen protein is governed by a "Sec-avoidance" motif in the transfer peptide and a "Sec-Incompatible" mature protein, "EMBO, vol. 16, pp. 3851-3859, 1997					
	Bogsch et al., "An Essential Component of a Novel Bacterial Protein Export System with Homologues in Plastids and Mitochondria, "J. Biol. Chem., vol. 273, pp. 18003-18008, 1998					
	Bolhula et al., "Evaluation of Bottlenecks in the Late Stages of Protein Secretion in Bacillus subtilis, "App. Environ. Microbiol. vol. 65, pp. 2934-2941, 1999					
,	Bolhuis et al., "Different Mechanisms for Thermal Inactivation of Bacillus subtilis Signal Mutants, "J. Biolog. Chem., vol. 274, pp. 15865-15868, 1999					
	Bolhuis et al., *Bacilius subtilis, can modulate its capacity and specificity for protein secretion through temporally controlled expression of the slpS gene for signal peptidase i" Mol. Microbiol. vol. 22, pp. 605-618, 1996					
	Brink et al., "Targeting of thylakoid proteins by the ΔpH-driven twin-arginine translocation pathway requires a specific signal in the hydrophobic domain conjunction with the twin-arginine motif," FEBS Letters, vol. 434, pp. 425-430, 1998					
ASA	Bron et al., "Construction and Characterization of a Transformable Eightfold Auxotrophic Strain and two Ultraviolet-Sensitive Derivatives," Mutation Research, vol. 15, pp. 1-10, 1972					
Examiner	Date Considered					
	weld & held 1. 10/31/03					
Examiner: initial	If reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not					
considered. Inci	ude copy of this form with next communication to applicant.					

		INFORMATION DISCLOSURE CITATION	DEOFMER
Attorney Docket No.: GC634-2-US	V11 - 25	Serial No.: 09/954,737	TICEIVED
Applicant: Bron et al.		4)	JUL 0 8 2002
Filing Date: September 17, 2001	10 0 1 200K	Group: 1483 /636	
Page _ 2 of _4	The state of	Date of this Submission: June 25, 2002	TECH CENTER 1600/2900
	TA TRADE		

OTHER DOCUMENTS

	OTHER DOCUMENTS						
Exeminer's							
initials	Author, Title, Dats, Pertinent Pages, etc.						
444	Chaddock et al., "A new type of signal peptide: central role of a twin- arginine motif in transfer signals for the ΔpH-dependent thylakoid protein translocase," <i>EMBO</i> , vol. 14, pp. 2715-2722, 1995.						
1	Chanal et al., "MicroCorrespondence," Molec. Microblol. vol. 30, pp. 673-678, 1998.						
	Chang et al., "High Frequency Transformation of Bacillus subtilits Protoplasts by Plasmid DNA," Molec. Gen. Genet. vol. 168, pp. 111-115, 1979.						
	*Coombs, J., <u>Dictionary of Biotechnology</u> , Stockton Press, New York, N.Y., 1994.						
	Contente et al., "Marker Rescue Transformation by Linear Plasmid DNA in Bacillus subtilis," Plasmid, vol. 2, pp. 555-571, 1979.						
	Cristobal et al., "Competition between Sec- and TAT-dependent protein translocation in Escherichia coli, EMBO, vol. 18 pp. 2982-2990, 1999.						
	Cserzo et al., *Prediction of transmembrane α-helices in prokaryotic membrane proteins: the dense alignment surface method,* Protein Engin. vol. 10 pp. 673-676, 1997.						
	Daibey et al., "Protein translocation into and across the bacterial plasma membrane and the plant thylakoid membrane," TiBS, vol. 24, pp. 17-21, 1999.						
	*Dieffenbach et al., <u>PCR Primer, a Laboratory Manual</u> , Cold Springs Harbor Press, Plainview, N.Y., 1995.						
	Donovan et al., " Genes Encoding Spore Coat Polypeptides from Bacillus subtilis," J. Mol. Biol., vol. 196, pp. 1-10, 1987						
	Eder et al., *Bacillus subtilis secreted phosphodi esterase/alkaline phosphatase in the product of a Pho regulon gene, phoD,* Microbiology, vol. 142, pp. 2041-2047, 1996.						
	Eymann et al., "Phosphate-starvation-inducible proteins in Bacillus subtilis: a two-dimensional gel electrophoreels study," Microbiology, vol. 142, pp. 3163-3170, 1996.						
	Fischer et al., "Introduction of plasmid pC194 into Bacillus thuringiensis by Protoplast transformation and plasmid transfer," Archives of Microbiology, vol. 139, pp. 213-217, 1984.						
	* Glover, D. M. (ed), DNA Cloning: A Practical Approach, MRL Press, Ltd., Oxford, U. K. Vol. I, II.						
	Grunstein et al., *Colony hybridization: A method for the isolation of cloned DNAs that contain a specific gene,* Proc. Nat. Acad. Sci. USA, vol. 72, no. 10, pp. 3961—3965, October, 1975.						
	Haims, Peter et al., "Novel plasmid marker rescue transformation system for molecular cloning in Bacillus subtilis enabling direct selection of recombinants," Mol. Gen. Genet. vol. 223, pp. 185-191, 1990.						
	* Hale & Marham, The Harper Collins Dictionary of Biology, Harper Perennial, NY (1991)						
	*Hampton, R. et al., <u>Serological Methods, a Laboratory Manual</u> , APS Press, St. Paul, MN. 1990.						
	*Harwood et al., Molecular Biological Methods for Bacilius, John Wiley & Sons, 1990.						
	Hirose et al., "Proteome analysis of Bacillus subtilis extracellular proteins: a two-dimensional protein electrophoretic study," Microbiology, vol. 146, pp. 65-75, 2000.						
	Holubova et al., "Transfer of Liposome-Encapsulated Plasmid DNA to Bacillus subtilis Protoplasts and Cajcium-Treated Escherichia cofi Cella," Folia Microbiol. vol. 30, pp. 97-100, 1985.						
	Hulett et al., "Evidence for Two Structural Genes for Alkaline Phosphatase in Bacillus subtilis," J. Bacteriol, vol. 172, pp. 735-740, 1990						
	Hynds et al., "The Sec-independent Twin-arginine Translocation System Can Transport Both Tightty Folded and Matfolded Proteins across the Thylakold Membrane," J. Blot. Chem. vol. 273, pp. 34868-3474, 1998						
	Jack et al., "Constitutive Expression of Escherichia coli tat Genes Indicates an Important Role for the Twin-Arginine Translocase during Aerobic and Anaerobic Growth," J. Bacteriology, vol. 183, pp. 1801-1804, 2001						
	Keifer et al., "Negative charged amino acid residues play an active role in orienting the Sec-independent Pf3 coat protein in the Escherichia coli inner membrane," EMBO, vol. 16, pp. 2197-2204, 1997.						
Abd	Klerik et al., "The complete genome sequence of the hyperthermophilic, sulphate-reducing archaeon Archaeoglobus fulgidus," Nature, vol. 394, pp. 364-370, 1998.						
Examiner	Date Considered						
	duell & hell 1. 10/30/03						
Examiner: Initia	If reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not						
considered. Incl	ude copy of this form with next communication to applicant. PTC-1449						

	EINFORMA	TION DISCLOSURE CITATION	RECEIVED
Attorney Docket No.: GC634-2-US	\ <u>0</u> [4]	Serial No.: 09/954,737	JUL 0-8-2002
Applicant: Bron et al.	MI 0 1 2002 &		300 0 0000
Filing Date: September 17, 2001		Group: 4953 /636	TECH CENTER 1600/2900
Page _3_ol_4_	TENT A TRACEPORT	Date of this Submission: June 25, 20	

DEACH

PTO-1449

## OTHER DOCUMENTS Examiner's initials Author, Title, Date, Pertinent Pages, etc. Kroll et al., \*A Multifunctional Prokaryotic Protein Expression System: Overproduction, Affinity Purification, and Selective Detection,\* DNA and Cell Biology, vol. 12, no. 5, pp. 441-453, 1993. DAN. Kunst et al., "The complete genome sequence of the Gram-positive bacterium Bacillus subtilis," Nature, vol. 390, pp. 249-264, November 20, 1997 Kyte et al., "A Simple Method for Displaying the Hydropathic Character of a Protein," J. Mol. Biol. vol. 157, pp. 105-132, 1982. Laemmil U. K. "Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4," Nature, vol. 227, pp. 680-685, 1970 Maddox et al., "Elevated Serum Levels in Human Pregnancy of a Molecule Immunochemically Similar to Eosinophil Granule Major Basic Protein," J. Exp. Med., vol. 158, pp. 1211-1226, October, 1983. Mann et al., "Transformation of Bacillus spp.: an Examination of the Transformation of Bacillus Protoplasts by Plasmids pUB110 and pHV33," Current Microbiology, vol. 13, pp. 191-195, 1986. McDonald et al., "Plasmid Transformation of Bacillus sphaericus 1593," Journal of General Microbiology, vol. 130, pp. 203-208, 1984. Miller, J. H., Experiments in Molecular Biology, Cold Spring Harbor Laboratory Press, Cold Spring Harbor NY (1982) Mutter et al., "Suppression of the growth and export defects of an Escherichia coli secA(Ts) mutant by a gene cloned from Bacilius subtitis," Mol. Gen. Genet. vol. 235, pp. 98-96, 1992 Muller et al., "Localisation of the cell wall-associated phosphodiesterase PhoD of Bacillus subtilis," FEMS Micro. Letters, vol. 180, pp. 287-298, 1999 Mutter et al., "Influence of Bacillus subtilis phoR on cell wall anionic polymers," Microbiology, vol. 143, pp. 947-956, 1997 Murray et al., "Codon usage in plant genes," Nucleic Acids Research, vol. 17, no. 2, pp. 477-498, 1989. Otto et al., "Identification of human myocardial proteins separated by two-dimensional electrophoresis using an effective sample preparation for mass spectrometry," Electrophoresis, vol. 17, pp. 1643-1650, 1996. Porath, Jerker, "Immobilized Metal Ion Affinity Chromatography," Protein Expression and Purification, vol. 3, pp. 263-281, 1992. Pragai et al., "The signal peptidase II (Isp) gene of Bacillus subtilis," Microbiology, vol. 143, pp. 1327-1333, 1997. Oi et al., "Role of PhpP-P in Transcriptional Regulation of Genes Involved in Cell Wall Anionic Polymer Biosynthesis in Bacillus subtilis," J. Barteriol. Rodrigue et al., "Co-translocation of a Periplasmic Enzyme Complex by a Hitchhiker Mechanism through the Bacterial Tat Pathway," J. Biol. Chem., vol. 274, pp. 13223-13228, 1999. \* Sambrook, J. et al., Molecular Cloning, A Laboratory Manual, 2nd Ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York, 1989 Santini et al., "A novel Sec-Independent periplsmic protein translocation pathway in Escherichia coll," EMBO, vol. 17, pp. 101-112, 1998. Sargent et al., "Overlapping functions of components of a bacterial Sec-independent protein export pathway," EMBO, vol. 17, pp 3640-3650, 1998 Sargent et al., " Sec-Independent protein Translocation in Eacherichia coli," J. Biol. Chem., vol. 274, pp.36073-36082, 1999 Schaeffer et al., "Catabolic Repression of Bacterial Sporulation," Proc. Natl. Acad. Sci. USA, vol. 54, pp. 704-711, 1965. Settles et al., \* Sec-Independent Protein Translocation by the Maize Ho108 Protein, \* Science, vol. 278, pp. 1487-1470, 1997 \* Singleton et al., Dictionary of Microbiology and Molecular Biology, 2D ED., John Wiley and Sons, New York (1994) Sipos et al., "Predicting the topology of eukaryotic membrane proteins," Eur. J. Biochem, vol. 213, pp. 1333-1340, 1993. Smith, Michael et al., "Protoplast Transformation in Corynetorm Bacteria and Infroduction of an α-Amylase Gene from Bacillus amytoliquefaciens into Brevibscterium lactofermentum, Applied and Environmental Microbiology, vol. 51, no. 3, pp. 834-639, March, 1986 Stanley et al., "Escherichia coli Strains Blocked in Tat-Dependent Protein Export Exhibit Pleiotropic Defects in the Cell Envelope," J. Bacteriol. vol. 183, , pp. 139-144, 2001 DEZ Date Considered Examiner 10-30-03 Examiner: Initial/I reference considered, whether or not citation is in conformance with MPEP 809; draw line through citation if not in conformance and not

considered. Include copy of this form with next communication to applicant.

INFORMA	ATION DISCLOSURE CITATION	
Attorney Docket No.: GC834-2-US (7)	Serial No.: 09/954,737	ED.
Applicant: Bron et al.	JUL 0-8-208	<b>1</b>
Filing Date: September 17, 2001	Group: 1636	2
Page4_ of4	Date of this Submission: June 25, 2002 TECH CENTER 1600	חחפכו

OTHER DOCUMENTS Examiner's Initials Author, Title, Date, Pertinent Pages, etc. Stephenson et al., "Influence if a Cell-Wall-Associated Protease on Production of c-Amylase by Bacillus subtilis," App. Environ, Microbiol. vol. 64, pp. 2875-2881, 1998 Talsma et al., "Functional analysis of the secretory precursor processing machinery of Bacillus subtilis: Identification of a eubacterial homolog of archaeal and eukaryotic signal peptidases, Genes & Develop. vol. 12, pp. 2318-2331, 1998 Tjalsma et al., \* Bacillus subtilis Contains Four Closely Related Type I Signal Peptidases with Overlapping Substrate Specificities, \* J. Biol. Chem., vol. 272, pp. 25983-25992, 1997 Tjalsma et al., "The Role of Lipoprotein Processing by Signal Peptidase II in the Gram-positive Eubacterium Bacillus subtilis," J. Biol. Chem., vol. 274, pp. 1698-1707, 1999 Thompson et al., "CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice," Nuc. Acids Res, vol. 22, pp. 4673-4680, 1994 Towbin et al., "Electrophoretic transfer of proteins from polyacrylamide gels to nitrocallulose sheets: Procedure and some applications," Proc. Natl. Acad. Sci. USA, vol. 76, pp. 4350-4354, 1979 Vagner et al., "A vector for systematic gene inactivation in Bacillus subtills," Microbiology, vol. 144, pp. 3097-3104, 1998. Van Dijl et al., "Non-functional expression of Escherichia coli signal peptidase I in Bacillus subtilis," J. Gen. Microbiology, vol. 137, pp. 2073-2083, 1991 Van Dijl et al., 'Signal peptidase I overproduction results in increased efficiencies of export and maturation of hybrid secretory proteins in Escherichia coll,' Mol. Gen. Genet, vol. 227, pp. 40-48, 1991 Van Dijl et al., Identification of the Potential Active Site of the Signal Peptidase SipS of Bacillus subtifis, J. Biol. Chem., vol. 270, pp. 3811-3618, 1995 Vorobjeva et al., "Transformation of Bacillus Megaterium Protoplasts by Plasmid DNA," FEMS Microbiology Letters 7, pp. 261-263, 1980. Weiner et al., "A Novel and Ubiquitous system for Membrane Targeting and Secretion of Cofactor-Containing Proteins," Cell, vol. 93, pp. 93-101, 1998. Weinrauch et al., "Plasmid Marker Rescue Transformation Proceeds by Breakage-Reunion in Bacillus subtilis," Journal of Bacteriology, vol. 169, no. 3, pp. 1205-1211, March, 1987. Weinrauch et al., "Plasmid Marker Rescue Transformation in Bacillus subtilis," Journal of Bacteriology, vol. 154, no. 3, pp. 1077-1087, June, 1983. Wu et al., "Bacterial Twin-Arginine Signal Peptide-Dependent Protein Translocation Pathway: Evolution and Mechanism," J. Mol. Microbiol. Biotechnol. Vol. 2, pp. 179-189, 2000 Yu et al., "The Cytochrome bc Complex (menaquinone: Cytochrome c Reductase) in Bacillus subtilis Has a Nontraditional Subunit Organization," J. Bacteriol. Vol. 177, pp. 6751-6760, 1995 Examiner 10-30-03 Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not

PTO-1448

considered. Include copy of this form with next communication to applicant.